

A Survey on Interfaces to Network Security Functions in Network Virtualization

Hyunsu Jang*, Jaehoon (Paul) Jeong[†], Hyoungshick Kim*, and Jung-Soo Park[‡]

* Department of Computer Science & Engineering, Sungkyunkwan University, Republic of Korea

[†] Department of Interaction Science, Sungkyunkwan University, Republic of Korea

[‡] Electronics and Telecommunications Research Institute, Republic of Korea

Email: {jhs4071,pauljeong,hyoung}@skku.edu, pjs@etri.re.kr

Abstract—Network Functions Virtualization (NFV) opens new opportunities and challenges for security community. Unlike existing physical network infrastructure, in a virtualized network platform, security services can be dynamically deployed and maintained to cope with the threat of sophisticated network attacks that are increasing over time. This paper surveys the activity that many security vendors and Internet service providers are trying to define common interfaces for NFV-based security services through the analysis of use cases and related technologies. This activity is currently lead by Internet Engineering Task Force (IETF) that is an international Internet standardization organization.

I. INTRODUCTION

Network Functions Virtualization (NFV) is an emerging trend that network functions are implemented and provided in software, which ran on commodity hardware [1]. The key idea is to implement network functions on top of a virtualized network consisting of switches, routers, and access points. This virtualized network enables us to deploy new network services in a flexible manner.

NFV introduces an opportunity for security community. Due to the increase of sophisticated network attacks, the effectiveness of existing security services is somewhat limited. Thus, newly updated security services should be accordingly provided for networks to cope with such sophisticated security attacks over time. For example, rules for a firewall service should be dynamically maintained to filter out new patterns of suspicious network traffic.

Many vendors have already offered Security as a Service in cloud. However, all their solutions are proprietary, with different interfaces and different modes of operation. Such security services follow a peer-to-peer model. Some functions in the security services can be hosted in data centers geographically far away from the clients that need the functions. Thus, this model requires network traffic to be forwarded to the remote data centers. On the other hand, a competing model requires clients to download their desired functions to local devices from data centers. In this model, it is difficult to maintain consistent software updates across all the devices. In addition, the current mode of operation for Security as a Service (SaaS) via a Cloud infrastructure does not have any common interfaces and mechanisms for clients or applications to verify whether or not the required functions can fulfill the policies needed by the clients or applications. Therefore, there is a lack of the efficient service policy support in the current network infrastructure.

Internet Engineering Task Force (IETF) has recently started discussing ways to apply NFV technologies to security applications [1]. Security services such as firewall, intrusion detection system (IDS), and intrusion prevention system (IPS) could be deployed as network services running on top of a network virtualization platform. IETF is currently investigating common network security applications and their requirements to define standard security interfaces. These interfaces will make it easy for third parties to develop security applications with network resources. In this paper, we will introduce the basic concept of NFV and its key challenging issues that are actively discussed in IETF.

The remaining of the paper is constructed as follows: Section II describes the basic concept of NFV and the needs of interfaces for NFV. Section III introduces key use cases for network security functions. Finally, Section IV concludes the paper along with future work.

II. INTERFACES TO NETWORK SECURITY FUNCTIONS

The demand for cloud-based security services is growing [2]. Small and medium-sized businesses (SMBs) are increasingly adopting cloud-based security services to replace on-premises security tools, while larger enterprises are deploying a mix of traditional and cloud-based security services [3] [4].

Despite their increasing popularity, most common cloud security services do not yet have standard interfaces by which users or clients can invoke functions for their desired security services in networks. The standardization of these interfaces for network security functions is required to specify how these services can be dynamically provisioned, updated, and verified to fulfill on-demand requests. Therefore, these network security functions should be standardized to accommodate the required security services in cloud framework in an efficient and flexible manner.

Linda et al. [5] particularly raised an issue of using a customized network configuration based on virtual machines (VMs). Fig. 1 shows how various security functions can be deployed on top of a virtualized network in order to satisfy a variety of users' demands for security services.

To implement security services in such a virtualized network platform, the most challenging issue is to define standard interfaces for common security functions. With these interfaces, users can develop their own security services according to their requirements. For example, with predefined common




Fig. 1. Provision of Network Security Functions in Virtual Network

security functions (such as user authentication, user privilege control, packet filtering, network configuration, logging, and reporting), a firewall application can be constructed by selectively choosing a subset of these functions.

III. USE CASES FOR VIRTUALIZED NETWORK SECURITY FUNCTIONS

In this section, we present some representative use cases for network security functions and their interfaces.

A. Use Cases in Access Networks

Lopez et al. [6] proposed use cases for an open operation, administration, and management (OAM) interface to virtualized security services for residential and mobile network access. Since security services are generally hard to manipulate and become expensive for client devices in access networks, cloud-based security services have attracted great attention from the security community. In particular, NFV could effectively be applied to facilitate the management of various resources for the benefits of client devices, which may not physically have the code of the network functions.

For the access networks, typical security applications are (i) traffic inspection, (ii) traffic manipulation, and (iii) traffic impersonation. First, traffic inspection requires a security function such as *deep packet inspection* (DPI) to analyze incoming and outgoing network traffic. Second, traffic manipulation requires security functions such as IPS, firewall, and virtual private network (VPN) to control network traffic. Last, traffic impersonation is used to monitor intruders' activities and defend networks against incoming threats by designing decoy systems (e.g., honeypots) to lure potential attackers away from critical systems in the networks.

Fig. 2 shows a use case of NFV for residential network access. As shown in this figure, a virtualized residential gateway (vRGW) can be used to securely manage the connection between home network and public network. That is, NFV allows users to define their own customized requirements. An example of a user policy is as follows: “*My son is allowed to access Facebook from 18:30 to 20:00*”.




Fig. 2. Use Case of Network Functions Virtualization for vCPE

B. Use Case in Integrated Security with Mobile Networks

In [7], M. Qi et al. explained the limitations of security protection services that provide for users in mobile networks, such as 3G and 4G-LTE. Under the current network access environment, devices to use security services are limited. Also, such security functions are general and fixed in network access procedure.

To overcome the limitations of network security services, the authors address the need of NFV-based network security function (NSF) virtualization that is currently being studied actively. In this NSF environment, user devices with a software module invoking security functions from the cloud can enjoy the maximum system performance by letting heavy security functions be performed in the cloud. In this cloud framework, operators can provide more flexible security functions for user devices through network functions. In order to provide more flexible security functions, standard interfaces between operator networks and user devices should be defined. These interfaces will be used to request, negotiate, allocate, and operate NSF from operator networks. The authors propose three use cases for using the interfaces in mobile network environment: (i) Security configuration (e.g., authentication and encryption), (ii) Optional security function negotiation (e.g., firewall, antivirus software, junk mail filter, and anti-spam message), and (iii) Security request from a user device.

An operator network can send specific security configurations and optional security service list to user devices. The user devices can send security policy and function request to the operator network through interfaces to NSF. Therefore, through these interfaces, the operator network could provide more flexible and tailored security functions for user devices, which can provide a more efficient and customized protection for each end user.

C. Use Case in Data Center

In [8], Leymann et al. proposed data-center use cases and the corresponding requirements. The authors presented network services (e.g., firewall) that require a highly scalability and accommodate the on-demand security requests of user devices that are connected to a data center.

Fig. 3 shows the security framework based on data center. As shown in the figure, when the data center consists of network and security equipments from several vendors, data

Basic Infrastructure required to Virtualized Network Functions (VNFs) and Management and Network Orchestration (MANO) Components.

Fig. 5 shows OPNFV Architecture Framework. Through Virtualization Layer, Physical Computing Hardware, Storage Hardware and Network Hardware are mapped into Virtual Computing modules, Virtual Storage modules and Virtual Network modules dynamically. These mappings are controlled by Virtualized Infrastructure Manager. VNF Manager operates actual VNFs by interacting with Virtualized Infrastructure Managers.

IV. CONCLUSION

Enterprises today increasingly consume cloud-based network security functions. However, most companies that consume cloud-based security services use off-premise provider-managed clouds. We argue that it is important to consider the need of common interfaces for network security functions that can be offered on any kinds of cloud regardless of locations or operators. This paper introduced and described use cases and techniques that are being discussed for common interfaces and framework for network security functions. We believe that these network security functions can accommodate security services in the current computing environments in mobile devices and cloud in an efficient and flexible manner. Therefore, the standardization of interfaces to network security functions will be a prerequisite for the effective security services.

ACKNOWLEDGMENT

This research was supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Science, ICT & Future Planning (2014006438). This work was also partly supported by the ICT R&D program of MKE/KEIT [10041244, SmartTV 2.0 Software Platform] and ETRI. This research was supported in part by Global Research Laboratory Program (2013K1A1A2A02078326) through NRF, and the ICT R&D program of MSIP/IITP (14-824-09-013, Resilient Cyber-Physical Systems Research) and the DGIST Research and Development Program (CPS Global Center) funded by the Ministry of Science, ICT & Future Planning. Note that Jaehoon (Paul) Jeong is the corresponding author.

REFERENCES

- [1] ETSI ISG, "Network Functions Virtualization Introductory White Paper," <http://portal.etsi.org/portal/server.pt/community/NFV/367>.
- [2] E. Messer, "Gartner: Cloud-based security as a service set to take off," in *Network World*. Gartner, Oct. 2013.
- [3] S. Subashini and V. Kavitha, "A survey on security issues in service delivery models of cloud computing," *Journal of Network Computer Applications*, vol. 34, Jan. 2011.
- [4] S. Natarajan and T. Wolf, "Security issues in network virtualization for the future internet," in *ICNC*. IEEE, Feb. 2012.
- [5] L. Dunbar, M. Zarny, C. Jacquenet, and S. Chakrabarty, "Interface to network security functions problem statement," in *draft-dunbar-i2nsf-problem-statement-01.pdf*. IETF I2NSF WG, Nov. 2014.
- [6] D. Lopez and A. Pastor, "Access use cases for an open oam interface to virtualized security services," in *draft-pastor-i2nsf-access-usecases-00.pdf*. IETF I2NSF WG, Oct. 2014.
- [7] M. Qi and X. Zhuang, "Integrated security with access network use case," in *draft-qi-i2nsf-access-network-usecase-00.pdf*. IETF I2NSF WG, Oct. 2014.
- [8] N. Leymann, M. Zarny, S. Magee, and L. Dunbar, "I2nsf data center use cases," in *draft-zarny-i2nsf-data-center-use-cases-00.pdf*. IETF I2NSF WG, Oct. 2014.
- [9] J. Jeong, H. Kim, and J. Park, "Requirements for security services based on software-defined networking," in *draft-jeong-i2nsf-sdn-security-services-00.pdf*. IETF I2NSF WG, Oct. 2014.
- [10] C. Price and S. Rivera, "Opnfv: An open platform to accelerate nfv," in *White Paper*. A Linux Foundation Collaborative Project, Oct. 2012.
- [11] OPNFV, "Open platform for nfv," <https://www.opnfv.org>.